

## Interactive / complex / 5

IC 1	query	Interactive / complex / 5			
IC 2	title	New groups			
IC 3	pattern	<pre> graph LR     P1[person: Person id = \$personId] -- "knows*1..2" --&gt; P2[otherPerson: Person]     P2 -.-&gt; «opt» hasCreator  Post[Post]     P2 -- "hasMember \$minDate &lt; hasMember.creationDate" --&gt; F[forum: Forum id title]     F -- "containerOf" --&gt; Post     subgraph count         Post     end           </pre>			
IC 4	description	<p>Given a start Person with ID \$personId, denote their friends and friends of friends (excluding the start Person) as otherPerson.</p> <p>Find Forums that any Person otherPerson became a member of after a given date (\$minDate). For each of those Forums, count the number of Posts that were created by the Person otherPerson.</p>			
IC 5	params	1	\$personId	ID	
IC 6		2	\$minDate	Date	
IC 7	result	1	forum.title	Long String	R
IC 8		2	postCount	32-bit Integer	A
IC 9		Number of Posts made in forum that were created by the Person otherPerson			
IC 10	sort	1	postCount	↓	
IC 11		2	forum.id	↑	
IC 12	limit	20			
IC 13	CPs	2.3, 3.3, 8.2, 8.5			
IC 14v1	relevance	<p>This query looks for paths of length two and three, starting from a given Person, moving to friends and friends of friends, and then getting the Forums they are members of. Besides testing the ability of the query optimizer to select the proper join operator, it rewards the usage of indices, but their accesses will be presumably scattered due to the two/three-hop search space of the query, leading to unpredictable and scattered index accesses. Having efficient implementations of such indices will be highly beneficial.</p>			
IC 14v2					